

View Online at <https://aerobasegroup.com/nsn/5340-00-228-1631>

Casehardening Indicator:

Not casehardened

Flange Diameter:

1.625 inches

Flange Thickness:

0.250 inches

Overall Height:

Between 1.100 inches and 1.110 inches

Body Outside Diameter:

Between 1.376 inches and 1.377 inches

Body Inside Diameter:

Between 0.670 inches and 0.680 inches

End Hole Diameter:

0.500 inches

Lip Thickness:

Between 0.095 inches and 0.110 inches

Special Features:

External thread 1.625 in.-32uns-2a, 0.250 in. Thread lg, on flange end. Counterbore 1.187 in. Dia, 0.562 in. Deep on end opposite flange end. Drilled face drive type.

Material:

Steel, qq-s-763, class 303, cond a or steel, qq-s-763, class 303se, cond a or steel, qq-s-763, class 304, cond a

Material:

Steel comp 303 or steel comp 303se or steel comp 304

Material Specification:

Qq-s-763, class 303, cond a federal specification 1st material response and qq-s-763, class 303se, cond a federal specification 2nd material response and qq-s-763, class 304, cond a federal specification 3rd material response

Surface Treatment:

Passivate

Surface Treatment Specification:

Qq-p-35 federal specification single treatment response

Surface Treatment:

Passivated, qq-p-35

Fsc Application Data:

Mount, telescope m137

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

T319-a