## NSN 5340-00-229-4377



Angle Bracket - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/5340-00-229-4377 First Leg Length: 1.750 inches Second Leg Length: 2.250 inches Second Leg Width: 2.375 mils and 2.625 centimeters First Leg Hole Diameter: 0.281 mils and 0.312 centimeters Second Leg Distance Between Hole Centers Along Width: 1.500 inches Second Leg Distance From Edge To Hole Center Along Width: 0.500 inches **Second Leg Distance From Edge To Hole Center Along Length:** Between 0.813 inches and 0.875 inches Second Leg Slot Length: 1.000 inches Second Leg Slot Width: Between 0.281 inches and 0.312 inches First Leg Thickness: Between 0.167 inches and 0.191 inches **Second Leg Thickness:** Between 0.167 inches and 0.191 inches First Leg Width: Between 2.375 inches and 2.625 inches First Leg Distance Between Hole Centers Along Width: 1.625 inches First Leg Distance From Edge To Hole Center Along Width: First Leg Distance From Edge To Hole Center Along Length: Between 0.281 inches and 0.343 inches First Leg Style: Square First Leg Hole Arrangement Style: Two holes Second Leg Style: Square First Leg Angle:

150.0 degrees

**Special Features:** 

Two slots in second leg

**Surface Treatment:** 

Cadmium and chromate

## NSN 5340-00-229-4377

Angle Bracket - Page 2 of 2



| Surface Treatment Spec | ific | ation: |
|------------------------|------|--------|
|------------------------|------|--------|

Qq-p-416, type 2, cl3 federal specification all treatment responses

**Style Designator:** 

Angle

Shelf Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A042a0