

View Online at <https://aerobasegroup.com/nsn/5340-00-232-7236>

Mounting Hole Type:

Countersunk

First Leg Length:

0.812 inches

Second Leg Length:

2.000 inches

Second Leg Width:

0.500 inches

Second Leg Hole Diameter:

0.166 inches

Second Leg Distance Between Hole Centers Along Length:

1.375 inches

Second Leg Distance From Edge To Hole Center Along Width:

0.281 inches

Second Leg Distance From Edge To Hole Center Along Length:

0.156 inches

First Leg Thickness:

0.125 inches

Second Leg Thickness:

0.125 inches

First Leg Width:

1.000 inches

First Leg Style:

Square

First Leg Hole Arrangement Style:

No hole

Second Leg Style:

Square

Second Leg Hole Arrangement Style:

Two holes

Second Leg Relationship To First Leg:

Not identical

First Leg Angle:

90.0 degrees

Special Features:

Two polytetrafluoroethylene test point jacks press fit into two 0.158 in. Diameter holes in first leg spaced 0.250 in. Apart two self-clinch nuts mtd in second leg holes

Material:

Aluminum alloy 6063

Material Specification:

Qq-a-274 t5 federal specification single material response

Surface Treatment:

Chromate

Surface Treatment Specification:

Mil-c-5541 military specification single treatment response

Style Designator:

Angle

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A042a0

Mil-std (military Standard):

Mil-c-5541 spec.