

View Online at <https://aerobasegroup.com/nsn/5340-00-239-0998>

First Leg Length:

1.500 inches

Second Leg Length:

1.500 inches

Second Leg Width:

5.250 inches

First Leg Hole Diameter:

Between 0.625 inches and 0.750 inches

Second Leg Hole Diameter:

0.562 inches

Second Leg Distance Between Hole Centers Along Width:

4.000 inches

Second Leg Distance From Edge To Hole Center Along Width:

0.625 inches

Second Leg Distance From Edge To Hole Center Along Length:

0.625 inches

First Leg Thickness:

0.188 inches

Second Leg Thickness:

0.188 inches

First Leg Width:

5.250 inches

First Leg End Width:

2.750 inches

First Leg Distance From Edge To Hole Center Along Width:

2.625 inches

First Leg Distance From Edge To Hole Center Along Length:

0.625 inches

First Leg Style:

Square and tapered

First Leg Hole Arrangement Style:

One hole

Second Leg Style:

Square

Second Leg Hole Arrangement Style:

Two holes

Second Leg Relationship To First Leg:

Not identical

First Leg Angle:

120.0 degrees

Material:

Steel comp 1008 or steel comp 1010 or steel comp 1011 or steel comp 1012 or steel comp 1015 or steel comp 1016 or steel comp 1017 or steel comp 1018 or steel comp 1019 or steel comp 1020 or steel comp 1021 or steel comp 1022 or steel comp 1023 or steel comp 1025 or steel comp 1009

Surface Treatment:

Cadmium and chromate

Surface Treatment Specification:

Qq-p-416, type 2, cl3 federal specification all treatment responses

Style Designator:

Angle

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A042a0