## NSN 5340-00-241-0021

Angle Bracket - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5340-00-241-0021

Fabrication Method (non-core):
Cast
Mounting Hole Type:
Plain
First Leg Length:
2.000 inches
Second Leg Length:
1.880 inches
Furnished Items (non-core):
2 inserts
Reinforcement Method (non-core):
Rib stiffener
End Application:
Aircraft model h-1
Second Leg Width:
1.250 inches
First Leg Hole Diameter:
0.360 inches
Second Leg Hole Diameter:
0.235 inches
Second Leg Distance Between Upper Hole Centers Along Width:
0.620 inches
Second Leg Distance Between Hole Centers Along Length:
0.850 inches
Second Leg Distance Between First And Second Hole Centers Along Width:
0.310 inches
Second Leg Distance From Edge To Hole Center Along Width:
0.310 inches
Second Leg Distance From Edge To Hole Center Along Length:
0.410 inches
First Leg Thickness:
0.250 inches
Second Leg Thickness:
0.250 inches
First Leg Width:
1.750 inches
First Leg Distance From Edge To Hole Center Along Width:
0.875 inches
First Leg Distance From Edge To Hole Center Along Length:
0.750 inches
First Leg Style:
Square

## **NSN 5340-00-241-0021** Angle Bracket - Page 2 of 2



First Leg Hole Arrangement Style:
One hole
Second Leg Style:
Square
Second Leg Hole Arrangement Style:
Three holes
Second Leg Relationship To First Leg:
Not identical
First Leg Angle:
90.0 degrees
Special Features:
Rockwell hardness scale c33-38; tensile strength 150 kpsi min; yield strength 140 kpsi min; items furnished as accessories: 2 inserts
Material:
Stainless steel
Material Specification:
Mil-s-81591 military specification single material response
Surface Treatment:
Passivate
Style Designator:
Angle
Shelf Life:
N/a
Unit Of Measure:
<del></del>
Demilitarization:
Yes - demil/mli
Fiig:
A042a0
Mil-std (military Standard):
Mil-s-81591 spec.