

View Online at <https://aerobasegroup.com/nsn/5340-00-242-6795>

**Fabrication Method (non-core):**

Formed

**First Leg Length:**

0.415 inches

**Second Leg Length:**

0.813 inches

**Second Leg Width:**

0.688 inches

**First Leg Hole Diameter:**

0.125 inches

**Second Leg Hole Diameter:**

0.125 inches

**Second Leg Distance Between Hole Centers Along Length:**

0.437 inches

**Second Leg Distance From Edge To Hole Center Along Width:**

0.563 inches

**Second Leg Distance From Edge To Hole Center Along Length:**

0.125 inches

**First Leg Thickness:**

0.040 inches

**Second Leg Thickness:**

0.040 inches

**Center Section Height:**

0.375 inches

**Center Section Width:**

0.688 inches

**Center Section Thickness:**

0.040 inches

**First Leg Width:**

0.688 inches

**First Leg Distance Between Hole Centers Along Width:**

0.250 inches

**First Leg Distance From Edge To Hole Center Along Width:**

0.219 inches

**First Leg Distance From Edge To Hole Center Along Length:**

0.188 inches

**First Leg Style:**

Square

**First Leg Hole Arrangement Style:**

Two holes

**Second Leg Style:**

Square

**Second Leg Hole Arrangement Style:**

Two holes

**Second Leg Relationship To First Leg:**

Not identical

**First Leg Angle:**

90.0 degrees

**Second Leg Angle:**

90.0 degrees

**Heat Treatment:**

H-14 strain hardened, 1/2 hard

**Material:**

Aluminum alloy

**Material Specification:**

Qq-a-359 federal specification single material response

**Surface Treatment:**

Chromate

**Surface Treatment Specification:**

Mil-c-5541 military specification single treatment response

**Style Designator:**

Double angle

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A042a0

**Mil-std (military Standard):**

Mil-c-5541 spec.