

View Online at <https://aerobasegroup.com/nsn/5340-00-242-6795>

Fabrication Method (non-core):

Formed

First Leg Length:

0.415 inches

Second Leg Length:

0.813 inches

Second Leg Width:

0.688 inches

First Leg Hole Diameter:

0.125 inches

Second Leg Hole Diameter:

0.125 inches

Second Leg Distance Between Hole Centers Along Length:

0.437 inches

Second Leg Distance From Edge To Hole Center Along Width:

0.563 inches

Second Leg Distance From Edge To Hole Center Along Length:

0.125 inches

First Leg Thickness:

0.040 inches

Second Leg Thickness:

0.040 inches

Center Section Height:

0.375 inches

Center Section Width:

0.688 inches

Center Section Thickness:

0.040 inches

First Leg Width:

0.688 inches

First Leg Distance Between Hole Centers Along Width:

0.250 inches

First Leg Distance From Edge To Hole Center Along Width:

0.219 inches

First Leg Distance From Edge To Hole Center Along Length:

0.188 inches

First Leg Style:

Square

First Leg Hole Arrangement Style:

Two holes

Second Leg Style:

Square

Second Leg Hole Arrangement Style:

Two holes

Second Leg Relationship To First Leg:

Not identical

First Leg Angle:

90.0 degrees

Second Leg Angle:

90.0 degrees

Heat Treatment:

H-14 strain hardened, 1/2 hard

Material:

Aluminum alloy

Material Specification:

Qq-a-359 federal specification single material response

Surface Treatment:

Chromate

Surface Treatment Specification:

Mil-c-5541 military specification single treatment response

Style Designator:

Double angle

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A042a0

Mil-std (military Standard):

Mil-c-5541 spec.