

View Online at <https://aerobasegroup.com/nsn/5340-00-246-3213>

Thread Pitch Diameters:

+0.4500/+0.4540 inches rod connection

Thread Direction:

Left-hand rod connection

Thread Length:

1.062 inches rod connection

Hole Diameter:

Between 0.189 inches and 0.191 inches

End Radius:

0.438 inches

Overall Diameter:

Between 0.872 inches and 0.873 inches

Fork Span Width:

Between 0.437 inches and 0.447 inches

Rod Connection Bore Diameter:

Between 0.530 inches and 0.532 inches

Rod Connection Bore Depth:

1.344 inches

Distance From Pivot Pinhole Center To Rod Connection End:

9.031 inches

Fork Arm Thickness:

0.125 inches

Fork Depth:

0.562 inches

Thread Size:

0.500 inches rod connection

Material:

Aluminum alloy 2024 and magnesium alloy az31b or magnesium alloy az61a or magnesium alloy az80a or magnesium alloy m1a or magnesium alloy zk60a or magnesium alloy az10a body

Material Specification:

Qq-a-200/3, t42 federal specification all material responses body and qq-m-31 federal specification all material responses body

Surface Treatment:

Anodize body and cadmium body

Surface Treatment Specification:

Mil-a-8625 military specification single treatment response body and ams 2400 assn standard single treatment response body

Style Designator:

Clevis

Thread Series Designator:

Unf rod connection

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A264a0

Mil-std (military Standard):

Mil-a-8625 spec.