

View Online at <https://aerobasegroup.com/nsn/5340-00-256-1411>

**Fabrication Method (non-core):**

Machined

**First Leg Length:**

0.640 inches

**Second Leg Length:**

0.702 inches

**Second Leg Width:**

Between 0.515 inches and 0.546 inches

**First Leg Slot Length:**

Between 0.255 inches and 0.267 inches

**First Leg Slot Width:**

Between 0.215 inches and 0.220 inches

**Second Leg Hole Diameter:**

0.062 inches

**Second Leg Distance Between Hole Centers Along Width:**

Between 0.248 inches and 0.252 inches

**Second Leg Distance Between Hole Centers Along Length:**

Between 0.248 inches and 0.252 inches

**Second Leg Distance From Edge To Hole Center Along Width:**

Between 0.125 inches and 0.156 inches

**Second Leg Distance From Edge To Hole Center Along Length:**

Between 0.156 inches and 0.187 inches

**First Leg Thickness:**

0.063 inches

**Second Leg Thickness:**

0.063 inches

**First Leg Width:**

Between 0.515 inches and 0.546 inches

**First Leg Distance From Edge To Hole Center Along Width:**

Between 0.260 inches and 0.270 inches

**First Leg Distance From Edge To Hole Center Along Length:**

0.166 inches

**First Leg Style:**

Square

**First Leg Hole Arrangement Style:**

One slot

**Second Leg Style:**

Square

**Second Leg Hole Arrangement Style:**

Two holes

**First Leg Angle:**

90.0 degrees

**Material:**

Aluminum alloy 5052

**Material Specification:**

Qq-a-250/8 federal specification single material response

**Surface Treatment:**

Paint

**Style Designator:**

Angle

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

Yes - demil/mli

**Fig:**

A042a0