

View Online at <https://aerobasegroup.com/nsn/5340-00-267-9988>

First Leg Length:

1.180 inches

Second Leg Length:

1.560 inches

Second Leg Width:

6.000 inches

First Leg Hole Diameter:

0.690 inches

Second Leg Hole Diameter:

0.690 inches

Second Leg Distance Between Lower Hole Centers Along Width:

4.000 inches

Second Leg Distance Between Hole Centers Along Length:

2.290 inches

Second Leg Distance Between First And Second Hole Centers Along Width:

2.700 inches

Second Leg Distance From Edge To Hole Center Along Width:

1.000 inches

Second Leg Distance From Edge To Hole Center Along Length:

1.000 inches

First Leg Thickness:

0.250 inches

Second Leg Thickness:

0.250 inches

Center Section Height:

2.040 inches

Center Section Width:

6.000 inches

Center Section Thickness:

0.250 inches

First Leg Width:

6.000 inches

First Leg End Width:

1.620 inches

First Leg Distance Between Lower Hole Centers Along Width:

4.000 inches

First Leg Distance Between Hole Centers Along Length:

2.290 inches

First Leg Distance Between First And Second Hole Centers Along Width:

2.700 inches

First Leg Distance From Edge To Hole Center Along Width:

1.000 inches

First Leg Distance From Edge To Hole Center Along Length:

1.000 inches

First Leg Style:

Square and tapered

Second Leg Style:

Square

Second Leg Hole Arrangement Style:

Three holes

First Leg Angle:

90.0 degrees

Second Leg Angle:

90.0 degrees

Material:

Steel

Style Designator:

Double angle

Fsc Application Data:

Stand, maintenance, automotive engine

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A042a0