

View Online at <https://aerobasegroup.com/nsn/5340-00-269-1611>

**Fabrication Method (non-core):**

Machined

**Mounting Hole Type:**

Plain

**First Leg Length:**

1.500 inches

**Second Leg Length:**

1.500 inches

**Second Leg Width:**

2.350 inches

**Second Leg End Width:**

1.850 inches

**First Leg Hole Diameter:**

0.339 inches

**Second Leg Hole Diameter:**

Between 0.453 inches and 0.463 inches

**Second Leg Distance Between Hole Centers Along Width:**

0.885 inches

**Second Leg Distance Between Hole Centers Along Length:**

0.500 inches

**Second Leg Distance From Edge To Hole Center Along Width:**

0.750 inches

**Second Leg Distance From Edge To Hole Center Along Length:**

0.870 inches

**First Leg Thickness:**

0.250 inches

**Second Leg Thickness:**

0.250 inches

**First Leg Width:**

2.350 inches

**First Leg Distance Between Hole Centers Along Width:**

1.125 inches

**First Leg Distance From Edge To Hole Center Along Width:**

0.750 inches

**First Leg Distance From Edge To Hole Center Along Length:**

0.875 inches

**First Leg Style:**

Square

**First Leg Hole Arrangement Style:**

Two holes

**Second Leg Style:**

Chamfered ends

**Second Leg Hole Arrangement Style:**

Two holes

**Second Leg Relationship To First Leg:**

Not identical

**First Leg Angle:**

90.0 degrees

**Second Leg Chamfer Angle:**

45.0 degrees

**Special Features:**

1st hole 0.189 to 0.195 in. Diameter in line with mating part

**Material:**

Aluminum alloy

**Material Specification:**

Qq-a-200/8, 6061, t6 federal specification 1st material response or mil-c-11866, 356-t6 military specification 2nd material response

**Surface Treatment:**

Enamel

**Surface Treatment Specification:**

Tt-e-489 federal specification single treatment response

**Style Designator:**

Angle

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A042a0

**Mil-std (military Standard):**

Mil-c-11866 spec.