

View Online at <https://aerobasegroup.com/nsn/5340-00-295-0075>

First Leg Length:

0.750 inches

Second Leg Length:

0.750 inches

Second Leg Width:

Between 1.500 inches and 1.505 inches

Second Leg Corner Radius:

0.250 inches

First Leg Hole Diameter:

Between 0.268 inches and 0.271 inches

Second Leg Hole Diameter:

0.090 inches

Second Leg Distance Between First And Second Hole Centers Along Width:

0.500 inches

Second Leg Distance Between Second And Third Hole Centers Along Width:

0.500 inches

Second Leg Distance From Edge To Hole Center Along Width:

0.250 inches

Second Leg Distance From Edge To Hole Center Along Length:

0.250 inches

First Leg Thickness:

0.063 inches

Second Leg Thickness:

0.063 inches

First Leg Width:

Between 1.500 inches and 1.505 inches

First Leg Corner Radius:

0.250 inches

First Leg Distance Between Hole Centers Along Width:

1.250 inches

First Leg Distance From Edge To Hole Center Along Width:

0.250 inches

First Leg Distance From Edge To Hole Center Along Length:

0.250 inches

First Leg Style:

Corner radius

First Leg Hole Arrangement Style:

Two holes

Second Leg Style:

Corner radius

Second Leg Hole Arrangement Style:

Three holes

Features Provided:

Nut

Second Leg Relationship To First Leg:

Not identical

First Leg Angle:

90.0 degrees

Special Features:

Clinch nut installed in 0.268 in. Diameter holes

Material:

Aluminum alloy 2024

Material Specification:

Qq-a-200/3, t3511 federal specification single material response

Surface Treatment:

Plastic epoxy

Surface Treatment Specification:

Mms405, fscm 76301 mfr ref single treatment response

Style Designator:

Angle

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A042a0