

View Online at <https://aerobasegroup.com/nsn/5340-00-298-1430>

**First Leg Length:**

1.000 inches

**Second Leg Length:**

2.060 inches

**Reinforcement Method (non-core):**

Web one side

**Second Leg Width:**

Between 0.865 inches and 0.875 inches

**First Leg Hole Diameter:**

Between 0.198 inches and 0.204 inches

**Second Leg Hole Diameter:**

Between 0.190 inches and 0.395 inches

**Second Leg Distance Between Hole Centers Along Length:**

1.000 inches

**Second Leg Distance From Edge To Hole Center Along Width:**

0.435 inches

**Second Leg Distance From Edge To Hole Center Along Length:**

Between 0.385 inches and 0.395 inches

**First Leg Thickness:**

0.094 inches

**Second Leg Thickness:**

0.094 inches

**First Leg Width:**

Between 0.865 inches and 0.875 inches

**First Leg Distance From Edge To Hole Center Along Width:**

0.435 inches

**First Leg Distance From Edge To Hole Center Along Length:**

0.500 inches

**First Leg Style:**

Square

**First Leg Hole Arrangement Style:**

One hole

**Second Leg Style:**

Square

**Second Leg Hole Arrangement Style:**

Two holes

**Second Leg Relationship To First Leg:**

Not identical

**First Leg Angle:**

90.0 degrees

**Special Features:**

Right hand installation

**Material:**

Aluminum alloy

**Material Specification:**

Ls2454 temper t73 fscm 36659 mfr ref single material response

**Surface Treatment:**

Anodize

**Surface Treatment Specification:**

Lc+77-2037, class 1, grade a, type 1 fscm 36659 mfr ref single treatment response

**Style Designator:**

Angle

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A042a0