

View Online at <https://aerobasegroup.com/nsn/5340-00-301-3089>

**Thread Class:**

3a rod connection

**Thread Direction:**

Right-hand rod connection

**Thread Length:**

1.500 inches rod connection

**Shank Length:**

1.700 inches

**Hole Diameter:**

Between 0.4995 inches and 0.5005 inches

**Shank Diameter:**

0.625 inches

**Overall Diameter:**

1.000 inches

**Fork Span Width:**

Between 0.687 inches and 0.692 inches

**Rod Connection Bore Diameter:**

Between 0.1865 inches and 0.1925 inches

**Rod Connection Bore Depth:**

1.600 inches

**Distance From Pivot Pinhole Center To Rod Connection End:**

3.370 inches

**Fork Arm Thickness:**

0.140 inches

**Fork Depth:**

1.420 inches

**Thread Size:**

0.625 inches rod connection

**Criticality Code Justification:**

Aaub

**Material:**

Steel comp 4130

**Material Specification:**

Mil-s-6758, cond d4 military specification single material response

**Surface Treatment:**

Cadmium

**Surface Treatment Specification:**

Lc+77-1061, lockheed aircraft corporation mfr ref single treatment response

**Style Designator:**

Clevis

**Test Data Document:**

36659-lc+72-1076 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

**Thread Series Designator:**

Unjf rod connection

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A264a0

**Mil-std (military Standard):**

Mil-s-6758 spec.