## NSN 5340-00-303-6574

Double Angle Bracket - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5340-00-303-6574

#### First Leg Length:

Between 0.910 inches and 0.930 inches

#### Second Leg Length:

Between 0.540 inches and 0.620 inches

#### Second Leg Width:

Between 0.461 inches and 0.531 inches

#### First Leg Hole Diameter:

Between 0.199 inches and 0.209 inches

#### Second Leg Hole Diameter:

Between 0.276 inches and 0.286 inches

#### Second Leg Distance From Edge To Hole Center Along Width:

0.265 inches

#### Second Leg Distance From Edge To Hole Center Along Length:

Between 0.230 inches and 0.270 inches

#### First Leg Thickness:

Between 0.058 inches and 0.068 inches

#### Second Leg Thickness:

Between 0.058 inches and 0.068 inches

#### **Center Section Height:**

Between 1.450 inches and 1.550 inches

#### **Center Section Width:**

Between 0.461 inches and 0.531 inches

#### **Center Section Thickness:**

Between 0.058 inches and 0.068 inches

#### First Leg Width:

Between 0.461 inches and 0.531 inches

#### First Leg Distance From Edge To Hole Center Along Width:

0.265 inches

#### First Leg Distance From Edge To Hole Center Along Length:

Between 0.230 inches and 0.270 inches

#### First Leg End Radius:

Between 0.344 inches and 0.406 inches

#### **Second Leg End Radius:**

Between 0.344 inches and 0.406 inches

### First Leg Style:

End radius

#### First Leg Hole Arrangement Style:

One hole

#### Second Leg Style:

End radius

#### Second Leg Hole Arrangement Style:

One hole

# NSN 5340-00-303-6574

Double Angle Bracket - Page 2 of 2



Second Leg Relationship To First Leg:
Not identical
First Leg Angle:
90.0 degrees
Second Leg Angle:
90.0 degrees
Material:
Steel comp 410
Material Specification:
Ams 5504 assn standard single material response
Style Designator:
Double angle
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A042a0