

View Online at <https://aerobasegroup.com/nsn/5340-00-305-7342>

**Mounting Hole Type:**

Countersunk and plain

**First Leg Length:**

Between 1.122 inches and 1.153 inches

**Second Leg Length:**

Between 2.292 inches and 2.323 inches

**First Leg Hole Diameter:**

Between 0.499 inches and 0.501 inches

**Second Leg Hole Diameter:**

Between 0.339 inches and 0.349 inches

**Second Leg Distance Between Hole Centers Along Width:**

1.208 inches

**Second Leg Distance Between Hole Centers Along Length:**

1.471 inches

**Second Leg Distance From Edge To Hole Center Along Width:**

Between 0.297 inches and 0.328 inches

**Second Leg Distance From Edge To Hole Center Along Length:**

Between 0.297 inches and 0.328 inches

**First Leg Thickness:**

Between 0.178 inches and 0.208 inches

**Second Leg Thickness:**

Between 0.178 inches and 0.208 inches

**First Leg Width:**

Between 0.844 inches and 0.906 inches

**First Leg Distance From Edge To Hole Center Along Width:**

Between 0.422 inches and 0.453 inches

**First Leg Distance From Edge To Hole Center Along Length:**

Between 0.422 inches and 0.453 inches

**First Leg End Radius:**

Between 0.422 inches and 0.453 inches

**First Leg Style:**

End radius

**First Leg Hole Arrangement Style:**

Two holes

**Second Leg Hole Arrangement Style:**

Two holes

**Second Leg Relationship To First Leg:**

Not identical

**First Leg Angle:**

90.0 degrees

**Special Features:**

Right hand mounting

**Material:**

Steel comp 4130 or steel comp 8630

**Material Specification:**

Ams 6350 assn standard 1st material response or ams 6355 assn standard 2nd material response

**Style Designator:**

Angle

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A042a0