

View Online at <https://aerobasegroup.com/nsn/5340-00-316-5734>

**Thread Class:**

3a rod connection

**Thread Direction:**

Right-hand rod connection

**Thread Length:**

0.655 inches rod connection and 0.685 inches rod connection

**Shank Length:**

1.661 inches

**Hole Diameter:**

Between 0.4375 inches and 0.4383 inches

**Shank Diameter:**

Between 0.4955 inches and 0.4995 inches

**Overall Height:**

1.060 inches

**Overall Width:**

Between 0.758 inches and 0.768 inches

**End Radius:**

0.530 inches

**Fork Span Width:**

Between 0.438 inches and 0.448 inches

**Securing Pin Hole Diameter:**

Between 0.105 inches and 0.110 inches

**Distance From Center Of Securing Pin Hole To Rod End:**

Between 0.162 inches and 0.172 inches

**Distance From Pivot Pinhole Center To Rod Connection End:**

2.921 inches

**Fork Arm Thickness:**

0.160 inches

**Thread Size:**

0.500 inches rod connection

**Criticality Code Justification:**

Aaze and aaub

**Special Features:**

Color white federal standard 595 color no.17875

**Material:**

Steel comp xm-13

**Material Specification:**

Ams 5629 assn standard single material response

**Surface Treatment:**

Paint

**Style Designator:**

Clevis

**Test Data Document:**

36659-lc+72-1076 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

**Thread Series Designator:**

Unjf rod connection

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A264a0