

View Online at <https://aerobasegroup.com/nsn/5340-00-316-5734>

Thread Class:

3a rod connection

Thread Direction:

Right-hand rod connection

Thread Length:

0.655 inches rod connection and 0.685 inches rod connection

Shank Length:

1.661 inches

Hole Diameter:

Between 0.4375 inches and 0.4383 inches

Shank Diameter:

Between 0.4955 inches and 0.4995 inches

Overall Height:

1.060 inches

Overall Width:

Between 0.758 inches and 0.768 inches

End Radius:

0.530 inches

Fork Span Width:

Between 0.438 inches and 0.448 inches

Securing Pin Hole Diameter:

Between 0.105 inches and 0.110 inches

Distance From Center Of Securing Pin Hole To Rod End:

Between 0.162 inches and 0.172 inches

Distance From Pivot Pinhole Center To Rod Connection End:

2.921 inches

Fork Arm Thickness:

0.160 inches

Thread Size:

0.500 inches rod connection

Criticality Code Justification:

Aaze and aaub

Special Features:

Color white federal standard 595 color no.17875

Material:

Steel comp xm-13

Material Specification:

Ams 5629 assn standard single material response

Surface Treatment:

Paint

Style Designator:

Clevis

Test Data Document:

36659-lc+72-1076 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

Thread Series Designator:

Unjf rod connection

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A264a0