

View Online at <https://aerobasegroup.com/nsn/5340-00-321-1448>

**First Leg Length:**

0.890 inches

**Second Leg Length:**

1.120 inches

**Second Leg Width:**

1.480 inches

**Second Leg Distance From Edge To Hole Center Along Width:**

0.740 inches

**Second Leg Distance From Edge To Hole Center Along Length:**

0.500 inches

**First Leg Thickness:**

0.063 inches

**Second Leg Thickness:**

0.063 inches

**First Leg Width:**

1.480 inches

**First Leg Corner Radius:**

0.440 inches

**First Leg Distance Between Hole Centers Along Width:**

0.500 inches

**First Leg Distance From Edge To Hole Center Along Width:**

0.440 inches

**First Leg Distance From Edge To Hole Center Along Length:**

0.500 inches

**Second Leg End Radius:**

0.500 inches

**First Leg Style:**

Corner radius

**First Leg Hole Arrangement Style:**

Two holes

**Second Leg Style:**

End radius and tapered

**Second Leg Hole Arrangement Style:**

One hole

**Second Leg Relationship To First Leg:**

Not identical

**First Leg Angle:**

81.2 degrees

**Special Features:**

Furnished items washers and rivet

**Material:**

Steel comp 321

**Material Specification:**

Mil-s-6721, cond annealed military specification single material response

**Style Designator:**

Angle

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

Yes - demil/mli

**Fig:**

A042a0

**Mil-std (military Standard):**

Mil-s-6721 spec.