

View Online at <https://aerobasegroup.com/nsn/5340-00-328-8474>

Fabrication Method (non-core):

Any acceptable

First Leg Length:

0.767 inches

Second Leg Length:

1.250 inches

First Leg Hole Diameter:

Between 0.276 inches and 0.286 inches

Second Leg Distance From Edge To Hole Center Along Width:

Between 1.103 inches and 1.128 inches

Second Leg Distance From Edge To Hole Center Along Length:

0.450 inches

Second Leg Slot Length:

Between 0.490 inches and 0.510 inches

Second Leg Slot Width:

Between 0.216 inches and 0.226 inches

First Leg Thickness:

Between 0.085 inches and 0.101 inches

Second Leg Thickness:

Between 0.085 inches and 0.101 inches

First Leg Width:

2.232 inches

First Leg Distance Between Hole Centers Along Width:

1.732 inches

First Leg Distance From Edge To Hole Center Along Width:

0.366 inches

First Leg Distance From Edge To Hole Center Along Length:

0.250 inches

First Leg End Radius:

0.250 inches

Second Leg End Radius:

0.312 inches

First Leg Style:

End radius

First Leg Hole Arrangement Style:

Two holes

Second Leg Style:

End radius

Second Leg Hole Arrangement Style:

One slot

Second Leg Relationship To First Leg:

Not identical

First Leg Angle:

90.0 degrees

Material:

Stainless steel

Material Specification:

Ams5536 assn standard single material response

Style Designator:

Angle

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A042a0