

View Online at <https://aerobasegroup.com/nsn/5340-00-330-3564>

First Leg Length:

0.2500 inches

Second Leg Length:

1.0000 inches

Second Leg Width:

0.750 inches

Second Leg End Width:

0.562 inches

First Leg Hole Diameter:

Between 0.164 inches and 0.169 inches

Second Leg Hole Diameter:

Between 0.512 inches and 0.525 inches

Second Leg Distance From Edge To Hole Center Along Width:

0.375 inches

Second Leg Distance From Edge To Hole Center Along Length:

0.375 inches

First Leg Thickness:

0.040 inches

Second Leg Thickness:

0.040 inches

First Leg Width:

0.750 inches

First Leg End Width:

0.562 inches

First Leg Distance Between Hole Centers Along Width:

0.375 inches

First Leg Distance Between Hole Centers Along Length:

0.250 inches

First Leg Distance From Edge To Hole Center Along Width:

0.188 inches

First Leg Distance From Edge To Hole Center Along Length:

0.188 inches

First Leg Style:

Chamfered ends

First Leg Hole Arrangement Style:

Two holes

Second Leg Style:

Chamfered ends

Second Leg Hole Arrangement Style:

One hole

Second Leg Relationship To First Leg:

Not identical

First Leg Angle:

90.0 degrees

Special Features:

2nd leg has 0.250 in. With slot centered in edge along width through to hole; hole has keyway at 30 degrees angle from center of width at bend

Material:

Aluminum alloy

Material Specification:

Qq-a-318, cond.1/2h military specification single material response

Surface Treatment:

Enamel

Surface Treatment Specification:

Mil-e-15090 type 2 cl 2 military specification single treatment response

Style Designator:

Angle

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A042a0

Mil-std (military Standard):

spec.