

View Online at <https://aerobasegroup.com/nsn/5340-00-377-4634>

Fabrication Method (non-core):

Machined

First Leg Length:

1.200 inches

Second Leg Length:

3.050 inches

Second Leg Width:

0.625 inches

First Leg Hole Diameter:

Between 0.216 inches and 0.226 inches

Second Leg Hole Diameter:

Between 0.216 inches and 0.226 inches

Second Leg Distance Between Hole Centers Along Length:

1.400 inches

Second Leg Distance From Edge To Hole Center Along Width:

0.312 inches

Second Leg Distance From Edge To Hole Center Along Length:

0.650 inches

First Leg Thickness:

Between 0.071 inches and 0.085 inches

Second Leg Thickness:

Between 0.071 inches and 0.085 inches

First Leg Width:

0.625 inches

First Leg Distance Between Hole Centers Along Length:

0.420 inches

First Leg Distance From Edge To Hole Center Along Width:

0.312 inches

First Leg Distance From Edge To Hole Center Along Length:

0.240 inches

First Leg End Radius:

Between 0.469 inches and 0.531 inches

Second Leg End Radius:

Between 0.469 inches and 0.531 inches

First Leg Style:

End radius

First Leg Hole Arrangement Style:

Two holes

Second Leg Style:

End radius

Second Leg Hole Arrangement Style:

Two holes

Second Leg Relationship To First Leg:

Not identical

First Leg Angle:

90.0 degrees

Material:

Titanium alloy

Material Specification:

Ams 4911 assn standard single material response

Style Designator:

Angle

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A042a0