NSN 5340-00-377-5658

Angle Bracket - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5340-00-377-5658

Fabrication Method (non-core):

Machined

First Leg Length:

Between 0.405 inches and 0.435 inches

Second Leg Length:

Between 0.630 inches and 0.650 inches

End Application:

W/s: engine, aircraft, f100-pw-200 (f-16a/b/c/d); aircraft, eagle f-15; support equipment, c-5 aircraft; aircraft, f-16; engine, aircraft, f100-pw-100 (f-15a/b/c/d); advance air traffic contr. & land. Sys (atcals) 404l; aircraft, f-111; engine, aircraft, f100-pw-220 (f-15c/d/e)

Second Leg Width:

Between 0.190 inches and 0.210 inches

First Leg Hole Diameter:

Between 0.160 inches and 0.170 inches

First Leg Thickness:

Between 0.023 inches and 0.027 inches

Second Leg Thickness:

Between 0.023 inches and 0.027 inches

First Leg Width:

Between 0.330 inches and 0.350 inches

First Leg Distance From Edge To Hole Center Along Width:

Between 0.165 inches and 0.175 inches

First Leg Distance From Edge To Hole Center Along Length:

Between 0.165 inches and 0.175 inches

First Leg End Radius:

Between 0.165 inches and 0.175 inches

Second Leg End Radius:

Between 0.095 inches and 0.105 inches

First Leg Style:

End radius

First Leg Hole Arrangement Style:

One hole

Second Leg Style:

End radius

Second Leg Hole Arrangement Style:

No hole

Second Leg Relationship To First Leg:

Not identical

First Leg Angle:

90.0 degrees

Material:

Steel

Material Specification:

Ams 5540 assn standard single material response

NSN 5340-00-377-5658

Angle Bracket - Page 2 of 2



Style	Desi	gnator:

Angle

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fiig:

A042a0