

View Online at <https://aerobasegroup.com/nsn/5340-00-382-8314>

Fabrication Method (non-core):

Machined

First Leg Length:

1.832 inches

Second Leg Length:

3.000 inches

Second Leg Width:

0.670 inches

First Leg Hole Diameter:

Between 0.276 inches and 0.286 inches

Second Leg Distance From Edge To Hole Center Along Length:

0.655 inches

Second Leg Slot Length:

Between 0.390 inches and 0.410 inches

Second Leg Slot Width:

Between 0.199 inches and 0.209 inches

First Leg Thickness:

Between 0.056 inches and 0.068 inches

Second Leg Thickness:

Between 0.056 inches and 0.068 inches

First Leg Distance Between Hole Centers Along Width:

1.280 inches

First Leg Distance Between Hole Centers Along Length:

0.956 inches

First Leg Distance From Edge To Hole Center Along Width:

0.250 inches

First Leg Distance From Edge To Hole Center Along Length:

0.250 inches

Second Leg End Radius:

0.375 inches

First Leg Hole Arrangement Style:

Two holes

Second Leg Style:

End radius and tapered

Second Leg Hole Arrangement Style:

One slot

First Leg Angle:

125.685 degrees

Material:

Titanium alloy

Material Specification:

Ams 4911 assn standard single material response

Style Designator:

Angle

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A042a0