

View Online at <https://aerobasegroup.com/nsn/5340-00-382-8330>

**Fabrication Method (non-core):**

Machined

**First Leg Length:**

Between 1.185 inches and 1.195 inches

**Second Leg Length:**

Between 1.253 inches and 1.263 inches

**First Leg Hole Diameter:**

Between 0.276 inches and 0.286 inches

**Second Leg Distance From Edge To Hole Center Along Width:**

1.713 inches

**Second Leg Distance From Edge To Hole Center Along Length:**

0.300 inches

**Second Leg Slot Length:**

Between 0.360 inches and 0.380 inches

**Second Leg Slot Width:**

Between 0.199 inches and 0.209 inches

**First Leg Thickness:**

Between 0.045 inches and 0.055 inches

**Second Leg Thickness:**

Between 0.045 inches and 0.055 inches

**First Leg Distance Between Hole Centers Along Width:**

1.204 inches

**First Leg Distance Between Hole Centers Along Length:**

0.223 inches

**First Leg Distance From Edge To Hole Center Along Width:**

0.290 inches

**First Leg Hole Arrangement Style:**

Two holes

**Second Leg Hole Arrangement Style:**

One slot

**First Leg Angle:**

90.0 degrees

**Material:**

Titanium alloy

**Material Specification:**

Ams 4911 assn standard single material response

**Style Designator:**

Angle

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A042a0