

View Online at <https://aerobasegroup.com/nsn/5340-00-385-9270>

Fabrication Method (non-core):

Formed

Second Leg Width:

Between 0.610 inches and 0.640 inches

Second Leg Corner Radius:

Between 0.109 inches and 0.141 inches

First Leg Hole Diameter:

Between 0.216 inches and 0.226 inches

Second Leg Hole Diameter:

Between 0.216 inches and 0.226 inches

Second Leg Distance From Edge To Hole Center Along Width:

Between 0.305 inches and 0.320 inches

Second Leg Distance From Edge To Hole Center Along Length:

Between 0.200 inches and 0.220 inches

First Leg Thickness:

Between 0.045 inches and 0.055 inches

Second Leg Thickness:

Between 0.045 inches and 0.055 inches

Center Section Height:

Between 0.435 inches and 0.465 inches

First Leg Distance Between Hole Centers Along Width:

2.375 inches

First Leg Distance From Edge To Hole Center Along Width:

Between 0.305 inches and 0.320 inches

First Leg Distance From Edge To Hole Center Along Length:

Between 0.277 inches and 0.287 inches

First Leg Hole Arrangement Style:

Two holes

Second Leg Style:

Corner radius

Second Leg Hole Arrangement Style:

One hole

First Leg Angle:

90.0 degrees

Second Leg Angle:

90.0 degrees

Material:

Titanium alloy

Material Specification:

Ams4911 assn standard single material response

Style Designator:

Double angle

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A042a0