## NSN 5340-00-392-7791



Double Angle Bracket - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/5340-00-392-7791 **Mounting Hole Type:** Threaded First Leg Length: 0.406 inches Second Leg Length: 0.891 inches Second Leg Width: 1.375 inches Second Leg Hole Diameter: 0.134 inches Second Leg Distance Between Lower Hole Centers Along Width: 1.000 inches Second Leg Distance Between Hole Centers Along Length: 0.375 inches Second Leg Distance Between First And Second Hole Centers Along Width: 0.500 inches Second Leg Distance From Edge To Hole Center Along Width: 0.188 inches Second Leg Distance From Edge To Hole Center Along Length: 0.188 inches First Leg Thickness: 0.125 inches Second Leg Thickness: 0.125 inches **Center Section Height:** 0.750 inches **Center Section Width:** 0.938 inches **Center Section Thickness:** 0.125 inches First Leg Width: 0.438 inches

First Leg Corner Radius:

0.062 inches

First Leg Style:

Corner radius

First Leg Hole Arrangement Style:

No hole

**Second Leg Hole Arrangement Style:** 

Three holes

Second Leg Relationship To First Leg:

Not identical

## NSN 5340-00-392-7791

Double Angle Bracket - Page 2 of 2



First Leg Angle:
90.0 degrees
Second Leg Angle:
90.0 degrees
Material:
Steel comp 1010
Material Specification:
Aisi assn standard single material response
Surface Treatment:
Phosphate manganese
Surface Treatment Specification:
Dod-p-16232, ty m, cl 2 military specification single treatment response
Style Designator:
Double angle
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A042a0
Mil-std (military Standard):
spec.