

View Online at <https://aerobasegroup.com/nsn/5340-00-395-7398>

**Fabrication Method (non-core):**

Machined

**First Leg Length:**

0.840 inches

**Second Leg Length:**

1.950 inches

**First Leg Hole Diameter:**

Between 0.216 inches and 0.226 inches

**Second Leg Distance From Edge To Hole Center Along Width:**

0.312 inches

**Second Leg Distance From Edge To Hole Center Along Length:**

Between 1.030 inches and 1.040 inches

**Second Leg Slot Length:**

Between 0.800 inches and 0.820 inches

**Second Leg Slot Width:**

Between 0.216 inches and 0.226 inches

**First Leg Thickness:**

Between 0.056 inches and 0.068 inches

**Second Leg Thickness:**

Between 0.056 inches and 0.068 inches

**First Leg Distance Between Hole Centers Along Width:**

0.500 inches

**First Leg Distance From Edge To Hole Center Along Width:**

0.250 inches

**First Leg Distance From Edge To Hole Center Along Length:**

0.250 inches

**Second Leg End Radius:**

0.312 inches

**First Leg Hole Arrangement Style:**

Two holes

**Second Leg Style:**

End radius and tapered

**Second Leg Hole Arrangement Style:**

One slot

**First Leg Angle:**

84.75 degrees

**Material:**

Titanium alloy

**Material Specification:**

Ams 4911 assn standard single material response

**Style Designator:**

Angle

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A042a0