

View Online at <https://aerobasegroup.com/nsn/5340-00-396-4790>

Mounting Hole Type:

Plain

First Leg Length:

1.219 inches

Second Leg Length:

1.802 inches

Second Leg Width:

1.604 inches

Second Leg Corner Radius:

Between 0.281 inches and 0.344 inches

First Leg Hole Diameter:

Between 0.214 inches and 0.224 inches

Second Leg Hole Diameter:

Between 0.339 inches and 0.349 inches

Second Leg Distance From Edge To Hole Center Along Width:

0.992 inches

Second Leg Distance From Edge To Hole Center Along Length:

Between 0.281 inches and 0.344 inches

First Leg Thickness:

Between 0.056 inches and 0.068 inches

Second Leg Thickness:

Between 0.056 inches and 0.068 inches

First Leg Width:

0.219 inches

First Leg Distance From Edge To Hole Center Along Width:

Between 0.188 inches and 0.250 inches

First Leg Distance From Edge To Hole Center Along Length:

Between 0.188 inches and 0.250 inches

First Leg End Radius:

Between 0.198 inches and 0.250 inches

First Leg Style:

End radius

First Leg Hole Arrangement Style:

One hole

Second Leg Style:

Corner radius

Second Leg Hole Arrangement Style:

One hole

Second Leg Relationship To First Leg:

Not identical

First Leg Angle:

90.0 degrees

Special Features:

Bend r between legs 0.219 in. Min 0.281 in. Max; second hole in foot of second leg 0.281 in. Min 0.344 in. Maximum diameter and spaced 0.970 in. Min 0.990 in. Maximum center to center; inside corner radius of second leg 0.281 in. Min 0.344 in. Max; rockwell hardness c30 to c38

Material:

Steel

Material Specification:

Ams 5504 assn standard single material response

Style Designator:

Angle

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A042a0