

View Online at <https://aerobasegroup.com/nsn/5340-00-396-5248>

Mounting Hole Type:

Plain

First Leg Length:

Between 0.800 inches and 0.820 inches

Second Leg Length:

Between 0.870 inches and 0.890 inches

Reinforcement Method (non-core):

Gusset both ends

Second Leg Width:

Between 3.240 inches and 3.260 inches

First Leg Hole Diameter:

Between 0.339 inches and 0.349 inches

Second Leg Hole Diameter:

Between 0.276 inches and 0.286 inches

Second Leg Distance Between Upper Hole Centers Along Width:

2.000 inches

Second Leg Distance Between Hole Centers Along Length:

0.090 inches

Second Leg Distance Between First And Second Hole Centers Along Width:

1.000 inches

Second Leg Distance From Edge To Hole Center Along Width:

0.625 inches

Second Leg Distance From Edge To Hole Center Along Length:

0.220 inches

First Leg Thickness:

Between 0.071 inches and 0.085 inches

Second Leg Thickness:

Between 0.071 inches and 0.085 inches

First Leg Width:

Between 3.240 inches and 3.260 inches

First Leg Distance From Edge To Hole Center Along Width:

1.625 inches

First Leg Distance From Edge To Hole Center Along Length:

0.375 inches

First Leg Style:

Square

First Leg Hole Arrangement Style:

One hole

Second Leg Style:

Square

Second Leg Hole Arrangement Style:

Three holes

Second Leg Relationship To First Leg:

Not identical

First Leg Angle:

90.0 degrees

Special Features:

One additional hole in first leg; rockwell hardness c 25 to c 33

Material:

Stainless steel

Material Specification:

Ams 5504 assn standard single material response

Style Designator:

Angle

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A042a0