

View Online at <https://aerobasegroup.com/nsn/5340-00-401-1504>

Fabrication Method (non-core):

Wrought

First Leg Length:

1.060 inches

Second Leg Length:

1.780 inches

Second Leg Width:

0.760 inches

Second Leg End Width:

0.760 inches

First Leg Hole Diameter:

0.340 inches

Second Leg Distance Between Hole Centers Along Length:

0.870 inches

Second Leg Distance From Edge To Hole Center Along Width:

0.380 inches

Second Leg Distance From Edge To Hole Center Along Length:

0.495 inches

Second Leg Slot Length:

0.470 inches

Second Leg Slot Width:

0.210 inches

First Leg Thickness:

0.120 inches

Second Leg Thickness:

0.120 inches

First Leg Width:

0.760 inches

First Leg Distance From Edge To Hole Center Along Width:

0.380 inches

First Leg Distance From Edge To Hole Center Along Length:

0.380 inches

First Leg End Radius:

0.380 inches

Second Leg End Radius:

0.380 inches

First Leg Style:

End radius

First Leg Hole Arrangement Style:

One hole

Second Leg Style:

End radius

Second Leg Hole Arrangement Style:

2 slots

Second Leg Relationship To First Leg:

Not identical

First Leg Angle:

10.0 degrees

Second Leg Offset Angle:

5.0 degrees

Special Features:

One slot 0.470 in. Lg by 0.210 in. W, located 0.870 in. Center to center of slot in second leg

Material:

Steel

Material Specification:

Mil-s-11415 military specification single material response

Style Designator:

Offset angle

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A042a0

Mil-std (military Standard):

Mil-s-11415 spec.