

View Online at <https://aerobasegroup.com/nsn/5340-00-402-4977>

First Leg Length:

Between 1.040 inches and 1.100 inches

Second Leg Length:

Between 3.440 inches and 3.500 inches

Second Leg Width:

Between 0.590 inches and 0.650 inches

First Leg Hole Diameter:

Between 0.550 inches and 0.570 inches

Second Leg Distance From Edge To Hole Center Along Width:

Between 0.300 inches and 0.320 inches

Second Leg Distance From Edge To Hole Center Along Length:

0.500 inches

Second Leg Slot Length:

Between 0.600 inches and 0.660 inches

Second Leg Slot Width:

Between 0.360 inches and 0.380 inches

First Leg Thickness:

0.062 inches

Second Leg Thickness:

0.063 inches

First Leg Width:

Between 0.840 inches and 0.900 inches

First Leg Distance From Edge To Hole Center Along Width:

Between 0.420 inches and 0.440 inches

First Leg Distance From Edge To Hole Center Along Length:

Between 0.570 inches and 0.630 inches

First Leg Style:

End radius

First Leg Hole Arrangement Style:

One hole

Second Leg Style:

End radius

Second Leg Hole Arrangement Style:

One slot

Second Leg Relationship To First Leg:

Not identical

First Leg Angle:

90.0 degrees

Material:

Steel comp 301

Material Specification:

Qq-s-766 temp 1/2 hard federal specification single material response

Surface Treatment:

Passivate

Surface Treatment Specification:

Mil-std-171 military specification single treatment response

Style Designator:

Angle

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fiig:

A042a0

Mil-std (military Standard):

Mil-std-171 spec.