

View Online at <https://aerobasegroup.com/nsn/5340-00-403-3111>

**Mounting Hole Type:**

Plain

**First Leg Hole Diameter:**

Between 0.276 inches and 0.286 inches

**Second Leg Hole Diameter:**

Between 0.214 inches and 0.224 inches

**Second Leg Distance Between Lower Hole Centers Along Width:**

3.290 inches

**Second Leg Distance Between Hole Centers Along Length:**

0.947 inches

**Second Leg Distance Between First And Second Hole Centers Along Width:**

1.546 inches

**Second Leg Distance From Edge To Hole Center Along Width:**

0.250 inches

**First Leg Thickness:**

Between 0.056 inches and 0.069 inches

**Second Leg Thickness:**

Between 0.056 inches and 0.069 inches

**First Leg Distance Between Hole Centers Along Width:**

1.900 inches

**First Leg Distance From Edge To Hole Center Along Width:**

0.250 inches

**First Leg Distance From Edge To Hole Center Along Length:**

0.250 inches

**First Leg Hole Arrangement Style:**

Two holes

**Second Leg Hole Arrangement Style:**

Three holes

**Second Leg Relationship To First Leg:**

Not identical

**First Leg Angle:**

121.0 degrees

**Material:**

Steel comp 410

**Material Specification:**

Ams 5504 assn standard single material response or ams 5613 assn standard single material response

**Surface Treatment:**

Cadmium

**Surface Treatment Specification:**

Ams 2400 assn standard single treatment response

**Style Designator:**

Angle

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A042a0