

View Online at <https://aerobasegroup.com/nsn/5340-00-403-9446>

Fabrication Method (non-core):

Stamped

First Leg Length:

1.740 inches

Second Leg Length:

5.250 inches

Reinforcement Method (non-core):

Web one side

Second Leg Width:

2.000 inches

Second Leg End Width:

1.000 inches

First Leg Hole Diameter:

0.350 inches

Second Leg Distance From Edge To Hole Center Along Width:

1.000 inches

Second Leg Distance From Edge To Hole Center Along Length:

1.000 inches

Second Leg Slot Length:

1.250 inches

Second Leg Slot Width:

0.520 inches

First Leg Thickness:

0.250 inches

Second Leg Thickness:

0.250 inches

First Leg Width:

2.000 inches

First Leg End Width:

1.750 inches

First Leg Distance Between Hole Centers Along Width:

1.250 inches

First Leg Distance From Edge To Hole Center Along Width:

0.380 inches

First Leg Distance From Edge To Hole Center Along Length:

0.625 inches

First Leg Style:

Angle

First Leg Hole Arrangement Style:

Two holes

Second Leg Style:

Square and tapered

Second Leg Hole Arrangement Style:

One slot

Second Leg Relationship To First Leg:

Not identical

First Leg Angle:

90.0 degrees

Material:

Steel comp 1015 and steel comp 1025

Surface Treatment:

Cadmium and chromate

Surface Treatment Specification:

Qq-p-416, type 2, cl3 federal specification all treatment responses

Style Designator:

Angle

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A042a0