

View Online at <https://aerobasegroup.com/nsn/5340-00-407-3108>

Mounting Hole Type:

Plain

Second Leg Length:

1.500 inches

Second Leg Width:

1.000 inches

Second Leg Corner Radius:

0.250 inches

First Leg Hole Diameter:

Between 0.276 inches and 0.286 inches

Second Leg Distance Between Hole Centers Along Length:

0.625 inches

Second Leg Distance From Edge To Hole Center Along Width:

0.500 inches

Second Leg Distance From Edge To Hole Center Along Length:

0.300 inches

Second Leg Slot Length:

Between 0.390 inches and 0.410 inches

Second Leg Slot Width:

Between 0.276 inches and 0.286 inches

First Leg Thickness:

Between 0.071 inches and 0.085 inches

Second Leg Thickness:

Between 0.071 inches and 0.085 inches

Center Section Thickness:

Between 0.071 inches and 0.085 inches

First Leg Distance From Edge To Hole Center Along Width:

0.250 inches

First Leg Distance From Edge To Hole Center Along Length:

0.250 inches

First Leg End Radius:

0.250 inches

First Leg Style:

End radius and tapered

First Leg Hole Arrangement Style:

One hole

Second Leg Style:

Corner radius

Second Leg Hole Arrangement Style:

2 slots

Second Leg Relationship To First Leg:

Not identical

First Leg Angle:

130.0 degrees

Second Leg Angle:

130.0 degrees

Material:

Steel comp 410

Material Specification:

Ams 5510 assn standard single material response

Style Designator:

Double angle

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A042a0