

View Online at <https://aerobasegroup.com/nsn/5340-00-410-8797>

First Leg Length:

Between 0.440 inches and 0.480 inches

Second Leg Length:

Between 1.330 inches and 1.370 inches

Second Leg Width:

Between 1.493 inches and 1.533 inches

First Leg Hole Diameter:

Between 0.230 inches and 0.250 inches

Second Leg Hole Diameter:

Between 0.210 inches and 0.220 inches

Second Leg Distance From Edge To Hole Center Along Width:

Between 0.210 inches and 0.230 inches

Second Leg Distance From Edge To Hole Center Along Length:

Between 0.210 inches and 0.230 inches

First Leg Thickness:

0.040 inches

Second Leg Thickness:

0.040 inches

First Leg Width:

Between 1.493 inches and 1.533 inches

First Leg Corner Radius:

Between 0.210 inches and 0.230 inches

First Leg Distance Between Hole Centers Along Width:

Between 1.063 inches and 1.073 inches

First Leg Distance From Edge To Hole Center Along Width:

Between 0.210 inches and 0.230 inches

First Leg Distance From Edge To Hole Center Along Length:

Between 0.210 inches and 0.230 inches

Second Leg End Radius:

Between 0.210 inches and 0.230 inches

First Leg Style:

Corner radius

First Leg Hole Arrangement Style:

Two holes

Second Leg Style:

End radius and tapered

Second Leg Hole Arrangement Style:

One hole

Second Leg Relationship To First Leg:

Not identical

First Leg Angle:

90.0 degrees

Material:

Steel

Material Specification:

Mil-s-5052 military specification single material response

Style Designator:

Angle

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A042a0

Mil-std (military Standard):

Mil-s-5052 spec.