

View Online at <https://aerobasegroup.com/nsn/5340-00-413-3417>

**Thread Class:**

3a rod connection

**Thread Direction:**

Right-hand rod connection

**Thread Length:**

1.250 inches rod connection

**Shank Length:**

2.500 inches

**Hole Diameter:**

Between 0.127 inches and 0.133 inches

**Shank Diameter:**

Between 0.244 inches and 0.250 inches

**Overall Height:**

0.500 inches

**Overall Width:**

Between 0.510 inches and 0.520 inches

**Metallic Hardness Rating:**

27.0 rockwell c and 32.0 rockwell c

**Fork Span Width:**

Between 0.260 inches and 0.270 inches

**Distance From Pivot Pinhole Center To Rod Connection End:**

2.530 inches

**Fork Arm Thickness:**

0.125 inches

**Fork Depth:**

0.250 inches

**Distance From Pivot Pinhole Center To Fork End:**

1.000 inches

**Thread Size:**

0.250 inches rod connection

**Special Features:**

Prong has two pivot holes located 0.625 in., apart, holes in one prong only

**Material:**

Steel comp 4130

**Material Specification:**

Mil-s-6758 military specification single material response

**Surface Treatment:**

Cadmium

**Surface Treatment Specification:**

Qq-p-416, type 2, class 1 federal specification single treatment response

**Style Designator:**

Clevis

**Test Data Document:**

81349-mil-i-6868 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

**Thread Series Designator:**

Unjf rod connection

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A264a0

**Mil-std (military Standard):**

Mil-s-6758 spec.