

View Online at <https://aerobasegroup.com/nsn/5340-00-420-4986>

**Fabrication Method (non-core):**

Stamped

**Mounting Hole Type:**

Plain

**First Leg Length:**

1.128 inches

**Second Leg Length:**

2.190 inches

**Second Leg Width:**

3.000 inches

**Second Leg Corner Radius:**

0.500 inches

**First Leg Hole Diameter:**

0.406 inches

**Second Leg Hole Diameter:**

0.406 inches

**Second Leg Distance Between Hole Centers Along Width:**

2.000 inches

**Second Leg Distance From Edge To Hole Center Along Width:**

0.500 inches

**Second Leg Distance From Edge To Hole Center Along Length:**

0.500 inches

**First Leg Thickness:**

0.190 inches

**Second Leg Thickness:**

0.190 inches

**Center Section Height:**

1.378 inches

**Center Section Width:**

3.000 inches

**Center Section Thickness:**

0.190 inches

**First Leg Width:**

3.000 inches

**First Leg Corner Radius:**

0.500 inches

**First Leg Distance Between Hole Centers Along Width:**

2.000 inches

**First Leg Distance From Edge To Hole Center Along Width:**

0.500 inches

**First Leg Distance From Edge To Hole Center Along Length:**

0.500 inches

**First Leg Style:**

Corner radius

**First Leg Hole Arrangement Style:**

Two holes

**Second Leg Style:**

Corner radius

**Second Leg Hole Arrangement Style:**

Two holes

**Second Leg Relationship To First Leg:**

Not identical

**Second Leg Angle:**

30.0 degrees

**First Leg Offset Angle:**

30.0 degrees

**Special Features:**

One hole in center of bracket 1.500 in. Dia

**Material:**

Steel comp 1009 or steel comp 1010 or steel comp 1011 or steel comp 1012 or steel comp 1013 or steel comp 1015 or steel comp 1016 or steel comp 1017 or steel comp 1018 or steel comp 1019 or steel comp 1020 or steel comp 1021 or steel comp 1022 or steel comp 1023 or steel comp 1025

**Surface Treatment:**

Enamel

**Surface Treatment Specification:**

Tt-e-529 federal specification single treatment response

**Style Designator:**

Offset double angle

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A042a0