

View Online at https://aerobasegroup.com/nsn/5340-00-436-5016

Helical Compression Spring Seat - Page 1 of 2

## **Counterbore Diameter:**

Between 0.4100 inches and 0.4200 inches

# **Overall Height:**

Between 0.3500 inches and 0.3600 inches

# First Step Diameter:

Between 0.4350 inches and 0.4370 inches

#### First Step Length:

Between 0.0650 inches and 0.0950 inches

#### Second Step Diameter:

Between 0.5900 inches and 0.6100 inches

#### Bore Diameter:

Between 0.3120 inches and 0.3140 inches

## **Material Hardness Rating:**

Between 56.0 rockwell c and 60.0 rockwell c

## **Design Type:**

Solid

End Diameter:

Between 0.4000 inches and 0.4200 inches

## **Distance From End To First Step:**

Between 0.0900 inches and 0.1100 inches

## Counterbore Length:

Between 0.0850 inches and 0.0950 inches

## **Special Features:**

Not casehardened

#### Material:

Steel, ams 5643

Material:

Steel comp 630

## **Material Specification:**

Ams 5643 assn standard single material response

## Surface Treatment:

Passivate

#### **Style Designator:**

Seat

## Surface Treatment:

Passivated

# Shelf Life:

N/a

# Unit Of Measure:

--

## Demilitarization:

No

# NSN 5340-00-436-5016

Helical Compression Spring Seat - Page 2 of 2

**Fiig:** T319-e

