## NSN 5340-00-442-7413

Roller-bulk Bracket - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5340-00-442-7413 First Leg Length: 2.170 inches Second Leg Length: 2.170 inches **End Application:** Lgm-30g minuteman Second Leg Hole Diameter: Between 0.250 inches and 0.256 inches Second Leg Distance Between Upper Hole Centers Along Width: Between 0.250 inches and 0.256 inches Second Leg Distance From Edge To Hole Center Along Width: 0.031 inches **Second Leg Distance From Edge To Hole Center Along Length:** 0.390 inches First Leg Thickness: 0.810 inches **Second Leg Thickness:** 0.810 inches **Center Section Height:** 2.310 inches **Center Section Thickness:** 1.000 inches First Leg Distance From Edge To Hole Center Along Width: 0.031 inches First Leg Distance From Edge To Hole Center Along Length: 0.390 inches First Leg Style: First Leg Hole Arrangement Style: One hole **Hole Quantity: Criticality Code Justification:** Feat Second Leg Relationship To First Leg: Identical Second Leg Angle: 0.09 radians **Special Features:** Design analysis

Material: Aluminum alloy 356.0 or aluminum alloy 2014 or aluminum alloy 2024

## NSN 5340-00-442-7413

Roller-bulk Bracket - Page 2 of 2



<b>Nuclear Hardness Critical Feature:</b>
Hardened
Style Designator:
Adjacent angles
Shelf Life:
N/a
Unit Of Measure:

No

Demilitarization: