## NSN 5340-00-456-1794

Angle Bracket - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5340-00-456-1794

First Leg Length:
1.500 inches
Second Leg Length:
1.250 inches
Second Leg Width:
4.625 inches
Second Leg Corner Radius:
0.500 inches
First Leg Hole Diameter:
Between 0.312 inches and 0.344 inches
Second Leg Hole Diameter:
Between 0.484 inches and 0.516 inches
Second Leg Distance Between Hole Centers Along Width:
3.625 inches
Second Leg Distance From Edge To Hole Center Along Width:
0.625 inches
Second Leg Distance From Edge To Hole Center Along Length:
0.500 inches
First Leg Thickness:
0.090 inches
Second Leg Thickness:
0.090 inches
First Leg Width:
4.625 inches
First Leg Corner Radius:
0.500 inches
First Leg Distance Between Hole Centers Along Width:
3.625 inches
First Leg Distance From Edge To Hole Center Along Width:
0.375 inches
First Leg Distance From Edge To Hole Center Along Length:
0.500 inches
First Leg Style:
Corner radius
First Leg Hole Arrangement Style:
Two holes
Second Leg Style:
Corner radius
Second Leg Hole Arrangement Style:
Two holes
First Leg Angle:
135.0 degrees

## NSN 5340-00-456-1794

Angle Bracket - Page 2 of 2



Surface Treatment:

Chromate zinc

Surface Treatment Specification:

Tt-p-1757 federal specification single treatment response

Style Designator:

Angle

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A042a0