

View Online at <https://aerobasegroup.com/nsn/5340-00-460-9641>

Cross Sectional Shape:

Square or rectangular recess

Hole Diameter:

0.166 inches

Width:

3.700 inches

Flange Thickness:

0.063 inches

Edge Shape:

Rectangle, multi holes

Length:

5.600 inches

Inside Width:

2.440 inches

Inside Length:

1.060 inches

Corner Radius:

0.190 inches

Hole Quantity Along Length:

2

Hole Quantity Along Width:

4

Distance Between Holes Along Length:

2.505 inches

Distance Between Holes Along Width:

2.105 inches

Distance Between Hole Centerline And First Hole Along Length:

2.588 inches

Distance Between Hole Centerline And First Hole Along Width:

2.188 inches

Distance From First Hole Centerline To End Along Length:

0.320 inches

Distance From First Hole Centerline To End Along Width:

0.408 inches

Corner Hole Centerline Radius:

0.083 inches

First Recess Inside Height:

Between 0.490 inches and 1.060 inches

Inside Corner Radius:

0.250 inches

Body Thickness:

0.063 inches

Securing Device Type:

Special

Mounting Opening Shape Style:

Unthreaded hole

Material:

Aluminum alloy

Material Specification:

Qq-a-250/11, temper 0 federal specification single material response

Surface Treatment:

Enamel and primer epoxy-polyamide

Surface Treatment Specification:

F-50, type 1, class 3 mfr ref 1st treatment response and fed-std-595, type 2, class 3, grade a2 federal standard 2nd treatment response

Fsc Application Data:

Radar equipment, airborne

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A531c0