# NSN 5340-00-461-7493

Spacing Threaded Standoff - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5340-00-461-7493

### **Thread Class:**

2b left internal (includes through thread)2a right external

### **Thread Direction:**

Right-hand right external

## Thread Length:

0.280 inches left internal (includes through thread)0.200 inches right external

#### Flange Diameter:

0.187 inches

#### Flange Thickness:

Between 0.833 inches and 0.843 inches

#### Length:

1.038 inches

## Thready Qty Per Inch (tpi):

56 right external

#### **Thread Size:**

0.112 inches left internal (includes through thread)

## Special Features:

Slot in stud end 0.040 in. Wide by 0.040 in. Dp

## Material:

Steel comp 303s standoff

## Material Specification:

Aisi 303s assn standard single material response standoff

## Surface Treatment:

Passivate standoff

## Surface Treatment Specification:

Mil-f-14072, e300 military specification single treatment response standoff

#### Style Designator:

Flanged with left internal thread

## **Thread Series Designator:**

Unc right external

#### Shelf Life:

N/a

## Unit Of Measure:

---

#### Demilitarization:

No

## Fiig:

A08900

### Mil-std (military Standard):

Mil-f-14072 spec.