

View Online at <https://aerobasegroup.com/nsn/5340-00-472-1788>

Fabrication Method (non-core):

Machined

First Leg Length:

1.661 inches

Second Leg Length:

1.870 inches

Second Leg Width:

1.120 inches

Second Leg Corner Radius:

0.190 inches

Second Leg End Width:

0.740 inches

First Leg Hole Diameter:

0.453 inches

Second Leg Distance From Edge To Hole Center Along Width:

0.440 inches

Second Leg Distance From Edge To Hole Center Along Length:

0.190 inches

Second Leg Slot Length:

0.850 inches

Second Leg Slot Width:

0.390 inches

First Leg Thickness:

0.050 inches

Second Leg Thickness:

0.050 inches

First Leg Width:

0.870 inches

First Leg Distance From Edge To Hole Center Along Width:

0.430 inches

First Leg Distance From Edge To Hole Center Along Length:

1.231 inches

First Leg End Radius:

0.430 inches

First Leg Style:

End radius

First Leg Hole Arrangement Style:

One hole

Second Leg Style:

Corner radius w/ tongue

Second Leg Hole Arrangement Style:

One slot

Second Leg Relationship To First Leg:

Not identical

First Leg Angle:

90.0 degrees

Heat Treatment:

T-6 solution heat treated

Material:

Aluminum alloy 6061

Material Specification:

Qq-a-250/11 federal specification single material response

Surface Treatment:

Lacquer

Surface Treatment Specification:

Tt-l-20 federal specification single treatment response

Style Designator:

Angle

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A042a0