

View Online at <https://aerobasegroup.com/nsn/5340-00-480-8895>

Fabrication Method (non-core):

Any acceptable

Mounting Hole Type:

Plain

First Leg Length:

Between 1.420 inches and 1.440 inches

Second Leg Length:

Between 1.470 inches and 1.520 inches

Second Leg Width:

Between 3.172 inches and 3.252 inches

First Leg Hole Diameter:

Between 0.213 inches and 0.225 inches

Second Leg Hole Diameter:

Between 0.274 inches and 0.288 inches

Second Leg Distance From Edge To Hole Center Along Width:

Between 0.600 inches and 0.650 inches

Second Leg Distance From Edge To Hole Center Along Length:

Between 0.600 inches and 0.650 inches

First Leg Thickness:

Between 0.087 inches and 0.098 inches

Second Leg Thickness:

Between 0.087 inches and 0.098 inches

First Leg Width:

Between 3.172 inches and 3.252 inches

First Leg Corner Radius:

Between 0.200 inches and 0.240 inches

First Leg Distance Between Hole Centers Along Width:

2.772 inches

First Leg Distance From Edge To Hole Center Along Width:

Between 0.200 inches and 0.240 inches

First Leg Distance From Edge To Hole Center Along Length:

Between 0.200 inches and 0.240 inches

Second Leg End Radius:

Between 0.600 inches and 0.650 inches

First Leg Style:

Corner radius

First Leg Hole Arrangement Style:

Two holes

Second Leg Style:

End radius and tapered

Second Leg Hole Arrangement Style:

One hole

Second Leg Relationship To First Leg:

Not identical

First Leg Angle:

90.0 degrees

Material:

Steel

Material Specification:

Ams5504 assn standard single material response

Surface Treatment:

Chromate zinc

Surface Treatment Specification:

Tt-p-1757 federal specification single treatment response

Style Designator:

Angle

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A042a0