

View Online at <https://aerobasegroup.com/nsn/5340-00-485-9733>

**First Leg Length:**

1.160 inches

**Second Leg Length:**

1.310 inches

**Second Leg Width:**

8.000 inches

**First Leg Hole Diameter:**

Between 0.270 inches and 0.277 inches

**Second Leg Hole Diameter:**

Between 0.270 inches and 0.277 inches

**Second Leg Distance Between Hole Centers Along Width:**

4.760 inches

**Second Leg Distance Between Hole Centers Along Length:**

0.180 inches

**First Leg Thickness:**

Between 0.120 inches and 0.130 inches

**Second Leg Thickness:**

Between 0.120 inches and 0.130 inches

**First Leg Width:**

8.000 inches

**First Leg Distance Between First And Second Hole Centers Along Width:**

2.460 inches

**First Leg Distance Between Second And Third Hole Centers Along Width:**

2.300 inches

**First Leg Distance From Edge To Hole Center Along Width:**

0.500 inches

**First Leg Distance From Edge To Hole Center Along Length:**

0.435 inches

**First Leg Style:**

Square

**First Leg Hole Arrangement Style:**

Three holes

**Second Leg Style:**

Square

**Second Leg Hole Arrangement Style:**

Two holes

**Second Leg Relationship To First Leg:**

Not identical

**First Leg Angle:**

90.0 degrees

**Special Features:**

Oone positioning hole 0.334 in. Diameter on second leg 0.830 from bottom and 3.368 in. From left edge two pins part no. 539896 fscm 73030 inserted in second leg 0.660 and 6.380 in. From left end and 0.500 in. From bottom

**Material:**

Aluminum alloy

**Material Specification:**

Ams 4027 assn standard single material response

**Style Designator:**

Angle

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A042a0