NSN 5340-00-486-5770

Angle Bracket - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5340-00-486-5770

rst	1 0	\sim	ΙО	n	~	H	٠.
 J D L	ᆫ	u	ᆫ		u		ı .

Between 0.740 inches and 0.800 inches

Second Leg Length:

Between 2.460 inches and 2.540 inches

First Leg Hole Diameter:

Between 0.213 inches and 0.224 inches

Second Leg Hole Diameter:

Between 0.213 inches and 0.224 inches

Second Leg Distance From Edge To Hole Center Along Length:

Between 0.480 inches and 0.520 inches

First Leg Thickness:

Between 0.073 inches and 0.087 inches

Second Leg Thickness:

Between 0.073 inches and 0.087 inches

First Leg Width:

Between 0.886 inches and 0.888 inches

First Leg Distance Between Hole Centers Along Width:

0.838 inches

First Leg Distance From Edge To Hole Center Along Length:

Between 0.240 inches and 0.260 inches

Second Leg End Radius:

Between 0.220 inches and 0.260 inches

First Leg Style:

Corner radius

First Leg Hole Arrangement Style:

Two holes

Second Leg Style:

End radius and tapered

Second Leg Hole Arrangement Style:

One hole

Material:

Steel

Material Specification:

Ams5596 assn standard single material response

Style Designator:

Angle

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

NSN 5340-00-486-5770 Angle Bracket - Page 2 of 2



Fiig:

A042a0