

View Online at <https://aerobasegroup.com/nsn/5340-00-488-5284>

**First Leg Length:**

Between 1.370 inches and 1.390 inches

**Second Leg Length:**

Between 2.060 inches and 2.080 inches

**Second Leg Width:**

Between 2.880 inches and 2.900 inches

**First Leg Hole Diameter:**

Between 0.135 inches and 0.141 inches

**Second Leg Hole Diameter:**

Between 0.280 inches and 0.286 inches

**Second Leg Distance Between Hole Centers Along Width:**

1.876 inches

**Second Leg Distance From Edge To Hole Center Along Width:**

Between 0.504 inches and 0.524 inches

**Second Leg Distance From Edge To Hole Center Along Length:**

0.500 inches

**First Leg Thickness:**

0.080 inches

**Second Leg Thickness:**

0.080 inches

**First Leg Width:**

Between 2.880 inches and 2.900 inches

**First Leg Distance Between Hole Centers Along Width:**

0.906 inches

**First Leg Distance Between Hole Centers Along Length:**

0.906 inches

**First Leg Distance From Edge To Hole Center Along Width:**

1.000 inches

**First Leg Distance From Edge To Hole Center Along Length:**

0.560 inches

**Second Leg End Radius:**

4.000 inches

**First Leg Style:**

Square

**First Leg Hole Arrangement Style:**

Four holes

**Second Leg Style:**

End radius

**Second Leg Hole Arrangement Style:**

Two holes

**Second Leg Relationship To First Leg:**

Not identical

**First Leg Angle:**

90.0 degrees

**Heat Treatment:**

T-6 solution heat treated

**Material:**

Aluminum alloy 2024

**Material Specification:**

Qq-a-250/4 federal specification single material response

**Surface Treatment:**

Primer

**Style Designator:**

Angle

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A042a0