

View Online at <https://aerobasegroup.com/nsn/5340-00-491-0325>

**First Leg Length:**

3.000 inches

**Second Leg Length:**

3.690 inches

**Second Leg End Width:**

1.000 inches

**First Leg Hole Diameter:**

0.280 inches

**Second Leg Hole Diameter:**

0.410 inches

**Second Leg Distance Between Hole Centers Along Length:**

2.500 inches

**Second Leg Distance From Edge To Hole Center Along Width:**

0.560 inches

**Second Leg Distance From Edge To Hole Center Along Length:**

0.500 inches

**First Leg Thickness:**

0.125 inches

**Second Leg Thickness:**

0.125 inches

**First Leg End Width:**

1.000 inches

**First Leg Distance Between Hole Centers Along Length:**

1.500 inches

**First Leg Distance From Edge To Hole Center Along Width:**

0.250 inches

**First Leg Distance From Edge To Hole Center Along Length:**

0.500 inches

**First Leg Style:**

Angle

**First Leg Hole Arrangement Style:**

Two holes

**Second Leg Style:**

Angle

**Second Leg Hole Arrangement Style:**

Two holes

**Second Leg Relationship To First Leg:**

Not identical

**First Leg Angle:**

90.0 degrees

**Material:**

Steel

**Material Specification:**

Qq-s-698 federal specification single material response and 66 federal standard single material response

**Surface Treatment:**

Zinc and chromate and cadmium and chromate

**Surface Treatment Specification:**

Qq-z-325, type 2, class 3 federal specification 1st treatment response and qq-z-325, type 2, class 3 federal specification 2nd treatment response and qq-p-416, type 2, class 3 federal specification 3rd treatment response and qq-p-416, type 2, class 3 federal specification 4th treatment response

**Style Designator:**

Angle

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A042a0