

View Online at <https://aerobasegroup.com/nsn/5340-00-491-0341>

Mounting Hole Type:

Plain

First Leg Length:

0.840 inches

Second Leg Length:

6.350 inches

Second Leg Width:

0.375 inches

First Leg Hole Diameter:

Between 0.260 inches and 0.300 inches

Second Leg Hole Diameter:

Between 0.200 inches and 0.240 inches

Second Leg Distance Between Hole Centers Along Length:

Between 3.930 inches and 3.950 inches

Second Leg Distance From Edge To Hole Center Along Width:

1.880 inches

Second Leg Distance From Edge To Hole Center Along Length:

1.950 inches

First Leg Thickness:

0.125 inches

Second Leg Thickness:

0.125 inches

Center Section Height:

1.425 inches

Center Section Width:

3.750 inches

Center Section Thickness:

0.125 inches

First Leg Width:

3.750 inches

First Leg Distance Between Hole Centers Along Width:

Between 2.990 inches and 3.010 inches

First Leg Distance From Edge To Hole Center Along Width:

0.375 inches

First Leg Distance From Edge To Hole Center Along Length:

0.370 inches

First Leg Style:

Square

First Leg Hole Arrangement Style:

Two holes

Second Leg Style:

Square

Second Leg Hole Arrangement Style:

Two holes

Second Leg Relationship To First Leg:

Not identical

First Leg Angle:

90.0 degrees

Second Leg Angle:

90.0 degrees

Special Features:

Second leg bent downward 0.750 in. With 2 holes 0.280 in. Nom dia

Material:

Steel comp 1006 or steel comp 1008 or steel comp 1009 or steel comp 1010

Surface Treatment:

Enamel

Surface Treatment Specification:

Tt-e-485 federal specification single treatment response or tt-e-529 federal specification single treatment response

Style Designator:

Double angle

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiiig:

A042a0